



Mercury Verado 400 HP

POA



Specifications

Boat Details

Price	POA	Boat Brand	Mercury
Model	Verado 400 HP	Length	0.00 Feet
Year	2019	Category	Boat Engines and Outboards
Hull Style	Other	Hull Type	Other
Power Type	Other	Engine Make	Mercury
Stock Number		Condition	New
State	QLD	Suburb	COORPAROO

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

The inherently balanced in-line six-cylinder engine and our Advanced Mid Section (AMS) with perimeter mounts virtually eliminate vibration in the boat. Perfect for sneaking up on fish or cruising on luxury pontoons.

SPECIFICATIONS - 400

HP / kW

400 / 298

Engine type

Inline 6

MidSection

Advanced MidSection (AMS)

Displacement (CID/CC)

158.5 CID

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Displacement (L)

2.6L

Cylinder Configuration

Inline 6 with Dual Overhead Cam [DOHC] and 24-valves

Full throttle RPM

6200-6800

Air induction

Supercharged with charge air cooling and electronic boost pressure control

Fuel induction system

Sequential multi-port electronic fuel injection (EFI)

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Alternator amp / Watt

70 amp / 882 watt (Belt-Driven)

Recommended fuel

Unleaded Regular 89 Octane Minimum (R+M)/2 or 93 RON Unleaded 91 Octane or 95 RON for premium performance in all conditions 10% Ethanol Maximum

Recommended oil

Mercury FourStroke 25W40 Marine Oil

Engine protection operator warning system

SmartCraft Engine Guardian

Compatible with SmartCraft digital technology

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Yes

Starting

Electric Start with SmartStart Protection

Controls

Digital Throttle & Shift (DTS)

Steering

Electro-hydraulic power steering

Joystick Piloting for Outboards

Shaft length

20" / 508 mm

25" / 635 mm

30" / 762 mm

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Gearcase ratio

1.75:1

Dry weight *Lightest model available

668 lbs / 303 kg

CARB star rating

2

Bore and stroke

3.23 in x 3.23 in / 82 mm x 82 mm

Ignition

SmartCraft Digital Inductive

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Cooling system

Water-cooled with thermostat & pressure-controlled

Gear shift

F-N-R

Gearcase options

5.44"

Trim system

SmartCraft programmable trim and tilt

Exhaust system

Through prop

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Counter Rotation

Available

Color

Cold Fusion White

Pearl Fusion White

Phantom Black

Warm Fusion White

Lubrication system

Integrated wet sump

Oil Capacity

8.5 Quarts / 8.0 Liters

Maximum Trim Range

20°; (-6°; to 14°;)

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Maximum Tilt Range

73°; (-6°; to 67°;)

Engine Details

Engine Make	Mercury
Displacement	2.6
Horse Power	400

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.